



Observations, indicators and scenarios of biodiversity and ecosystem services change – a framework to support policy and decision-making

Cornelia B Krug^{1,2}, Michael E Schaepman^{1,2},
Lynne J Shannon³, Jeannine Cavender-Bares⁴,
William Cheung⁵, Peter B McIntyre⁶, Jean Paul Metzger⁷,
Ülo Niinemets^{8,9}, David O Obura¹⁰, Bernhard Schmid^{1,11},
Bernardo BN Strassburg¹², Astrid JA Van Teeffelen¹³,
Olaf LF Weyl¹⁴, Moriaki Yasuhara¹⁵ and Paul W Leadley¹⁶

Improving understanding of how biodiversity and ecosystems respond to environmental change is necessary to guide policy and management. To this end, the bioDISCOVERY project of the international programme on global change, Future Earth, initiates and supports international networks of scientists to advance research on monitoring and observations, scenarios and models, and assessments of biodiversity and ecosystems. bioDISCOVERY activities seek collective solutions to key research challenges, and provide support for the international science community by participating in the development of global databases. This global working-group approach is essential for directing cutting-edge science toward supporting international policies, addressing urgent environmental issues, and closing research gaps through transdisciplinary integration and mobilisation of the scientific community.

Addresses

- ¹ URPP Global Change and Biodiversity, University of Zurich, Zurich, Switzerland
² Remote Sensing Laboratories, Department of Geography, University of Zurich, Zurich, Switzerland
³ Marine Research Institute, University of Cape Town, Rondebosch, South Africa
⁴ Dept. of Ecology, Evolution and Behavior, University of Minnesota, Saint Paul, MN, USA
⁵ Changing Ocean Research Unit, Institute for the Oceans and Fisheries, The University of British Columbia, Vancouver, Canada
⁶ Center for Limnology, University of Wisconsin, Madison, WI, USA
⁷ Department of Ecology, Institute of Biosciences, University of São Paulo, Rua do Matão, 321, travessa 14, 05508-900 São Paulo, SP, Brazil
⁸ Estonian University of Life Sciences, Kreutzwaldi 1, 51014 Tartu, Estonia
⁹ Estonian Academy of Sciences, Kohtu 6, 10130 Tallinn, Estonia
¹⁰ CORDIO East Africa, P.O. Box 10135, Mombasa 80101, Kenya
¹¹ Department of Evolutionary Biology and Environmental Studies, University of Zurich, Zurich, Switzerland
¹² IIS International Institute for Sustainability, Estrada Dona Castorina, 124 – Horto, Rio de Janeiro, Brazil
¹³ Institute for Environmental Studies (IVM), Faculty of Science, Vrije Universiteit, Amsterdam, The Netherlands
¹⁴ South African Institute for Aquatic Biodiversity, Grahamstown, South Africa
¹⁵ School of Biological Sciences and Swire Institute of Marine Science, the University of Hong Kong, Hong Kong Special Administrative Region

¹⁶ Laboratoire d'Ecologie, Systématique et Evolution, UMR 8079, University Paris-Saclay/CNRS/AgroParisTech, Orsay, France

Corresponding author: Krug, Cornelia B (cornelia.krug@geo.uzh.ch)

Current Opinion in Environmental Sustainability 2017, **29**:198–206

This review comes from a themed issue on **Environmental change issues**

Edited by **Debra Zuppinger-Dingley, Cornelia Krug, Owen Petchey, Bernhard Schmid, Norman Backhaus** and **Michael E Schaepman**

Received: 11-1-2018; Accepted: 4-4-2018

<https://doi.org/10.1016/j.cosust.2018.04.001>

1877-3435/© 2018 Elsevier B.V. All rights reserved.

Introduction

It is well documented that biodiversity at all levels — that is, genes, species, communities and habitats — is being heavily impacted by global-scale changes including habitat degradation and loss, overexploitation, invasive species, pollution, and climate change [1]; and that pressures on biodiversity from these drivers are likely to increase in the future. Several factors impede the use of observations and models of biodiversity to inform decision making at local to international scales that seeks to slow the loss of biodiversity. First, it is difficult to monitor changes in biodiversity in a consistent manner across multiple scales, to transform observations into informative indicators, and to attribute these changes to direct and indirect drivers [2,3]. Second, projections of future biodiversity dynamics are underused to support proactive policy and management, in part because of high uncertainty and weak coupling with ecosystem services and socio-economic development [4–6]. Third, a multitude of barriers — one of the foremost being the

lack of structured and sustained dialog between scientists and decision makers — hamper the translation of scientific findings into policy and ecosystem management guidelines [6]. Each of these challenges could be overcome by using the momentum arising from release of new global assessments to fuel greater dialog with the policy community [7].

Since its inception more than a decade ago, the bioDISCOVERY project, in collaboration with a wide range of partners, has helped mobilise the scientific community to address these issues. bioDISCOVERY is an international research project, now part of the Future Earth international research platform,¹ that strives to foster collaborative interdisciplinary activities on biodiversity and ecosystem science. This scientific network seeks to integrate observations, indicators, and scenarios to support policy and decision-making for global environmental management. bioDISCOVERY builds upon a component of the former DIVERSITAS programme (see Box 1).

bioDISCOVERY is actively responding to recent changes in the international science-policy landscape, particularly the launch of the international science-policy platform on biodiversity and ecosystem services, IPBES² [8,9*,10*], and the 2030 Agenda for Sustainable Development and its Sustainable Development Goals (SDGs³ [11]). These priorities are served by the mission to improve the understanding of biodiversity and ecosystem responses to global environmental change, and to support decision-making and policy setting on various levels and scales. bioDISCOVERY is built on the recognition that integrated observation and modelling approaches are the underpinning of global assessments of biodiversity change. Thus, bioDISCOVERY activities are centred around three components: first, *monitoring and observations*, second, *models and scenarios*, and third, *supporting assessment bodies* (Figure 1).

This paper outlines how these three components of bioDISCOVERY as well as associated activities (Figure 2) can help improve understanding of biodiversity and ecosystem response to global environmental change, and how they contribute to closing knowledge gaps. We highlight how the use of observations and models provide new insights into biodiversity and ecosystem responses, including feedbacks among the drivers of change. Indicators and scenarios can then assist in identifying policy and management decisions that ensure the conservation and sustainable use of biodiversity and ecosystems globally.

¹ Future Earth is the international platform for research for global sustainability science (www.futureearth.org).

² www.ipbes.net

³ www.sustainabledevelopment.un.org

Box 1 bioDISCOVERY

bioDISCOVERY is an international research programme fostering collaborative interdisciplinary activities on biodiversity and ecosystem science. Using a network approach, we promote the use of observations, indicators, models and scenarios to support policy and decision-making for informed global environmental management.

The mission of bioDISCOVERY is to stimulate and advance interdisciplinary collaborative research on feedbacks between global change drivers and the biodiversity, functioning and services of natural ecosystems. This science supports decision-making and policies that ensure the conservation and sustainable use of biodiversity worldwide. Synthesis and catalysing work forms the backbone of bioDISCOVERY activities, which are centred around three components: Monitoring & Observations, Models & Scenarios and Supporting Assessment Bodies.

bioDISCOVERY was established in 2006 under the auspices of DIVERSITAS, the international programme on biodiversity science. Initially, the project was to cover the 'origins and maintenance of biodiversity', but it was soon recognised that the scope was too ambitious, and two closely related projects arose — bioGENESIS, which was to provide an evolutionary framework for biodiversity science [66], and bioDISCOVERY, focused on assessing, monitoring and predicting biodiversity change [67]. bioDISCOVERY brought together interdisciplinary groups of scientists from the fields of biodiversity science, ecology, evolutionary biology and land system science to collaborate in activities under three foci, first, strengthening biodiversity assessments, second, improving observation and understanding biodiversity change, and third, improving biodiversity projections. Efforts brought about key contributions to the Convention on Biological Diversity [4,60,61] and the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services (IPBES) [38,54], led to the establishment of the GEO Biodiversity Observation Network (GEO BON) [2], and significantly advanced science underpinning observations and predictions of biodiversity change [22,34**].


In 2015, bioDISCOVERY transitioned to Future Earth, the international platform for research for global sustainability (www.futureearth.org) as part of the integration of DIVERSITAS programs into Future Earth; the project office moved to the University of Zurich in 2017. Future Earth is built on the legacy of the four ICSU global environmental change programmes, DIVERSITAS, IGBP, IHOPE and WCRC, and was created with the objective of strengthening links between science, policy and society, and to address the grand challenges of sustainable development [70]. bioDISCOVERY now has the opportunity to mobilise a wider range of disciplines and partners in order to achieve its goals.

Observations and indicators

Time series of observations track the responses of species, communities, and ecosystems to environmental change, provide insight into the mechanisms underpinning observed responses to global change, and contribute to improving models and scenarios of biodiversity and ecosystems.

Earth observations provide measures of taxonomic, functional and structural diversity (or their proxies) at various spatial and temporal scales [12*,13]. Remote sensing allows assessment of ecosystem properties that underpin the supply of ecosystem services [14,15]. Increasingly, physical metrics from remote sensing allow reliable proxies for ecosystem properties with minimal requirements

Figure 1



bioDISCOVERY framework. Structure of the bioDISCOVERY science plan with its three components and their relationship to policy and decision support. Integrative research forms the basis for activities in the components. Arrows indicate the flow of information.


for local validation [16]. Thus, remote sensing can help to close gaps in biodiversity observation data collected on the ground [17,18], and provide global spatial assessments of select traits [19]. Recent work provides the precursors for a coherent set of Essential Biodiversity Variables (EBVs) derived from satellite remote sensing [20], which can be matched with field observations of key variables at sites worldwide. For instance, combining observations of nutrient and carbon fluxes with remote sensing allows inferences about ecosystem functioning at continental to global scale [21], and parallel inferences about spatiotemporal variation of ecosystem service provisioning [15].

Knowledge of (functional) traits of species assists in further explaining variability in ecosystem function [21]. Traits are the outcome of evolutionary and community assembly processes [22], and are thus a better predictor of ecosystem dynamics and functioning than species identity [23]. Functional or trait diversity in plants (both inter-specific and intraspecific variation in traits) can predict collective contributions to ecosystem functioning better than taxonomic diversity [24]. Knowledge

about the relationship between environment and traits allows us to build new models that predict future vegetation based on plant functional traits [25]. Such knowledge may further help to identify species that, based on their traits, are particularly sensitive to environmental change (either positively or negatively [26*]).

Experiments, which are fundamental complements to observational studies, help to clarify the cause-effect relationships associated with specific drivers, which the observational studies can only hint at. By manipulating key environmental drivers, their impacts on biodiversity and ecosystems can be assessed directly. Experiments not only provide a way to distinguish between cause and effect in observed relationships, but also allow us to investigate future conditions that cannot be observed currently [27*]. Furthermore, they link general theory and complex natural situations by isolating causal mechanisms [28], although this reductionist approach is most helpful when experimental conditions are realistic depictions of current or potential future environmental conditions [29]. To be able to link ecosystem function to

Figure 2



bioDISCOVERY activities. Key components of bioDISCOVERY including monitoring and observations, supporting assessment bodies, as well as scenarios and models. Colours indicate the status of the given activity (green = higher maturity and ongoing activity; yellow = envisaged activities).

ecosystem services, it is necessary to describe specific mechanistic connections, and to place small-scale ecosystem function assessments in the context of large-scale patterns of ecosystem services (e.g. [30–33]). Given that data to inform cross-scale, mechanistic models are often inadequate, there is a need for strategic collection of this data and strategic design of observations and experiments to guide predictions of species’ and ecosystem responses to global environmental change [34**].

Within the *Observation and Indicators* component of bioDISCOVERY, the focus of activities continues to be the ‘nuts and bolts’ of improving science approaches by combining observation sets, in particular remote sensing, and *in situ* measurements of biodiversity, functional traits and ecosystem functions, and linking these approaches by models to provide an integrated understanding of biodiversity and ecosystem change at multiple scales. For example, remotely sensed data can be used to improve the accuracy and performance of species distribution models [13,17].

Observations of biodiversity and ecosystem responses to environmental change help to identify *indicators* to monitor change and responses to change. Indicators have been shown to be useful in comparing different ecosystems [35] and are valuable tools of communication because they are both simple and informative [36]. A successful implementation of policy requires robust data and a

diverse set of indicators [37]. However, data are often lacking to inform indicators and adequately assess biodiversity trends. In particular, a new generation of indicators that consider less-studied taxonomic groups, and are standardised across regions to allow for global comparisons and measure change over multiple time points, are needed to support policy and decision-making [38]. There is also a lack of indicators of ecosystem functioning [39]. As these research gaps are filled, bioDISCOVERY is poised to synthesising information from multiple indicators into coherent messages that can inform decision-making.

Building on comparative indicators of marine ecosystem condition [40], we see particular opportunities for advancing freshwater and marine indicators. Such efforts can complement IPBES and GEO-BON (Group on Earth Observations — Biodiversity Observation Network) processes nicely. Moreover, synthetic indicators can guide management decisions by accounting for the delivery of land-based and air-based stressors to water bodies along with direct human impacts (see [41]).

Our activities (see Figure 2) foster and advance the use of remote sensing to document changes in biodiversity, ecosystem functioning and ecosystem services. Combining remote sensing, local field monitoring, and broad survey networks will elucidate uncertainties in quantification of these response variables in space and time.

Experiments will be used to understand cause-effect relationships that underpin changes in biodiversity and ecosystem dynamics. Linking *in situ* observations and experiments will also provide insight into the role of micro-evolution in shaping species' response to environmental change. Our understanding of the links between environmental conditions, species traits (and their variation) and ecosystem properties and function is still incomplete [21], and further progress will require a combination of observation and experiments. Using a trait-based approach, remote sensing will be able to predict functional biodiversity change at larger scales [42**].

Models and scenarios

Projections of future ecosystem and biodiversity change are limited by incomplete understanding of the underlying processes, insufficiency of available modelling tools, and a lack of data to validate and parameterise models [43]. Computational ecology is a key emerging field that can provide projections of biodiversity change [44], yet current models exclude many important biological processes that shape species' responses to environmental change [34**]. There is a need for modelling approaches that integrate biodiversity composition and ecosystem function, and account for the interactions between the two [45]. This approach will facilitate testing for interactions between composition and function, and projecting biodiversity and ecosystem futures more realistically [45].

Existing global change scenarios are often dominated by climatic shifts, whereas ecological dynamics are not well integrated into most modelling frameworks [46**]. For example, a number of important ecological processes are entirely absent from Integrated Assessment Models [47]. To improve projections of biodiversity and ecosystem change, we need models that account for a broad range of global-change drivers to explore the future of biodiversity [47]. Furthermore, multi-model comparison approaches have highlighted the benefit of incorporating information from model ensembles based on different assumptions and driver interactions (e.g. [48]). Further work is needed to improve model projections and reveal sources of uncertainty [49], thereby providing a more robust basis for decision-making [50]. For example, uncertainties in future projections can stem from input parameter variability, scenario uncertainty, or model uncertainty [51]. In this context, paleo-ecological evidence is not only useful and important to quantify the relationship between climate change and ecosystem response, but also can be used to test the ability of models (in particular dynamic global vegetation models) to simulate ecosystem processes [43].

Biodiversity and ecosystem services are shaped by local, regional and global change drivers and responses, hence scenarios used in IPBES and other syntheses need to integrate across multiple scales [46**]; and responses will

have to be implemented at local scales [52]. There is particular need to develop more local-scale scenarios that can leverage mechanistic understanding from observations and experiments. For example, Teh *et al.* have synthesised projection from well-parameterised local models to understand patterns of change in Canada's coastal marine ecosystems [53].

Taken together, the *Models and Scenarios* activities within bioDISCOVERY (see Figure 2) promise to enhance understanding of past and future biodiversity changes in response to diverse natural and anthropogenic drivers, and their consequences for ecosystem functioning and services. Our approach will generate improved predictions of environmental change, and allow exploration of how different policy scenarios might mediate losses of biodiversity, ecosystem function, and ecosystem services. The development of 'nature visions', linking targets for biodiversity conservation with sustainable development targets, allow better representation of socio-ecological systems. It also informs decision-making in human-modified systems [54]. In particular, future work will focus on assessing the impact of a suite of socio-economic pathways (SSPs) on biodiversity and ecosystem services, how policy options for conservation and restoration of biodiversity may mediate SSP outcomes, and the feasibility of achieving Aichi Target 15 and climate mitigation through large-scale restoration efforts. To this end, Metzger *et al.* [55] have proposed a framework for scenario-based restoration planning. We also intend to expand the time horizon for scenarios — using 'deep time' to understand sources of uncertainty and improve future predictions.

Supporting assessment bodies

Policy and decision-making support

Setting environmental policies and making management decisions can be informed by scenarios and models [6,56] derived from robust input data [37], but appropriate indicator frameworks [57,58*,59] are then needed to measure both the positive and negative impacts on biodiversity and ecosystem function. The more rigorous the models, inputs, and scenarios, the clearer and stronger will be the messages conveyed by the scientific community to decision-makers. Spatial scale is at the crux of this challenge; observations, models, and indicators all need to address the interface between local management and global policy. If well integrated, there can be abundant synergies with IPBES, IPCC, and sustainable development agendas.

Efforts of the bioDISCOVERY scientific community have brought about key contributions to the Convention on Biological Diversity, in particular into the Global Biodiversity Outlook 3 [4] and 4 [60,61], but also the visioning process for the 2020 Aichi Targets [62]. Contributions to the Intergovernmental Science-Policy

Figure 3




illustration of the iterative science-policy process. Illustration of the science-policy process, using as example the process leading to the development of indicators for use in IPBES assessments. The process begins with need that is being identified (in this case, indicators for use in assessments). bioDISCOVERY convened the scientific community to mobilise new indicators, and to assess already existing indicators. This lead to the development of new indicators for freshwater systems. The IPBES Task Force on Knowledge and Data and the MEP and Bureau then reviewed the list of indicators identified by the scientific experts, and made recommendations on their use. Indicators accepted for the IPBES process where than processed by the IPBES TSU on Knowledge and Data and UNEP-WCMC to provide products for use in assessments. In a parallel stream, the scientific community, under the guidance of the IPBES TSU on Values, and in collaboration with IPBES experts, was tasked to develop bundles of indicators and narratives for inclusion in IPBES assessments. Blue indicates the scientific community, green the various IPBES bodies, red other partners involved in the process. * bioDISCOVERY acted as a convener, the meetings and workshops included participants from

Platform on Biodiversity and Ecosystem Services (IPBES) have focussed on knowledge generation for use in the various assessments, for example the synthesis of information for indicators [38] (Figure 3), and supporting the work of the IPBES Technical Support Unit and expert group on scenarios [54]. Activities also led to the establishment of the GEO BON [63], which significantly advances observations and predictions of biodiversity change [22,34**].

In the future, case studies on vulnerable coastal marine and freshwater ecosystems will serve as a focus for integrating the components of bioDISCOVERY, yielding lessons and insights into the challenges of integrating observations, mechanistic models, and future scenarios. Coral reefs in particular are degrading rapidly under a multitude of anthropogenic threats. They are not only 'running the climate gauntlet' [29], but are also stressed from changes in community structure due to overfishing [64], species invasions [65] and pollution [66]. At the same time, reefs and other coastal ecosystems provide a wide range of ecosystem services [29] that are vital for sustaining human livelihoods and food security. Working with global reef observations collated regionally and globally through the Global Coral Reef Monitoring Network focused on the use of Essential Ocean Variables (Bax *et al.*, in review; Miloslavich *et al.* in review) and Essential Biodiversity Variables [3] relevant to coral reefs, bioDISCOVERY will help develop and model indicators to inform the urgent policy action that is needed [67]. We are launching parallel efforts in the world's freshwaters, integrating large-scale observations of shifting quantity and quality of water with improved global assessments of fishery and biodiversity patterns.

Another integrative activity that connects all bioDISCOVERY priorities, and cross-cuts across terrestrial, freshwater and marine realms, will focus on the resilience and adaptive capacity of biodiversity and ecosystems to global environmental change. We currently have a limited understanding of the impacts of disturbances on the stability of ecosystems [68], but biodiversity and its variation from intraspecific and interspecific to across landscape variation play crucial roles in the long-term resilience of ecosystem functions and services [69]. Anthropogenic activities change the suite of traits and species interactions that shape ecosystem functioning, potentially eroding system resilience [39]. Our work on the links between biodiversity, ecosystem functioning, and ecosystem services will help to elucidate the role of biodiversity in buffering ecosystems against ongoing global change.

Conclusions

We have outlined bioDISCOVERY's vision and priorities for integrating detailed results (observations and modelling) with synthetic analyses (indicators and scenarios) to support environmental policy-setting and decision-making on global and local scales. This research network approach focuses on global capacity building through collaborations among early-career researchers, established experts, and end-users. In addition to fostering syntheses of biodiversity research across diverse communities, we have identified compelling opportunities for bioDISCOVERY to contribute to scenario training programmes.

bioDISCOVERY's success in the activities outlined above relies on the participation of researchers across many disciplines and spanning terrestrial, marine and freshwater habitats. Our ultimate goal is to develop innovative perspectives on biodiversity and ecosystem services based on high-quality data, methods and models, and present them for use at the science-policy interface.

Acknowledgements

This paper is based on deliberations and discussions during a meeting of the bioDISCOVERY Scientific Steering Committee (SSC), held in April 2017 at the University of Zurich, Switzerland. We thank all participants of the workshop for their constructive participation and fruitful contributions, the University of Zurich for hosting the meeting, and Future Earth for financial support of the meeting.

References and recommended reading

Papers of particular interest, published within the period of review, have been highlighted as:

- of special interest
- of outstanding interest

1. Tilman D, Clark M, Williams DR, Kimmel K, Polasky S, Packer C: **Future threats to biodiversity and pathways to their prevention.** *Nature* 2017, **546**:73-81.
2. Scholes RJ, Walters M, Turak E, Saarenmaa H, Heip CH, Tuama EO, Faith DP, Mooney HA, Ferrier S, Jongman RH *et al.*: **Building a global observing system for biodiversity.** *Curr Opin Environ Sustain* 2012 <http://dx.doi.org/10.1016/j.cosust.2011.12.005>.
3. Pereira HM, FERRIER S, Walters M, Geller GN, Jongman RHG, Scholes RJ, Bruford MW, Brummitt N, Butchart SHM, Cardoso AC *et al.*: **Essential biodiversity variables.** *Science* 2013, **339**:277-278.
4. Pereira HM, Leadley PW, Proenca V, Alkemade R, Scharlemann JPW, Fernandez-Manjarres JF, Araujo MB, Balvanera P, Biggs R, Cheung WWL *et al.*: **Scenarios for global biodiversity in the 21st century.** *Science* 2010, **330**:1496-1501.
5. Bellard C, Bertelsmeier C, Leadley P, Thuiller W, Courchamp F: **Impacts of climate change on the future of biodiversity.** *Ecol Lett* 2012, **15**:365-377.
6. Ferrier S, Ninan KN, Leadley PW, Alkemade JRM, Acosta LA, Akcakaya HR, Brotons L, Cheung WWL, Christensen V, Harhash KA *et al.*: *The Methodological Assessment Report on Scenarios and Models of Biodiversity and Ecosystem Services.* 2016.

(Figure 3 Legend Continued) other Future Earth Global Research Projects. IPBES: Intergovernmental science-policy platform for biodiversity and ecosystem service, MEP: Multidisciplinary expert panel, K&D: Knowledge and Data, TSU: Technical Support Unit, PECS: Programme on Ecosystem Change and Society, UNEP-WCMC: United Nations Environmental Programme World Conservation Monitoring Centre.

7. Allison H, Brown C: **A review of recent developments in ecosystem assessment and its role in policy evolution.** *Curr Opin Environ Sustain* 2017, **29**:1-6.
8. Díaz S, Demissew S, Joly C, Lonsdale WM, Larigauderie A: **A Rosetta stone for nature's benefits to people.** *PLoS Biol* 2015, **13**:e1002040-e1002048.
9. Díaz S, Demissew S, Carabias J, Joly C, Lonsdale M, Ash N, Larigauderie A, Adhikari JR, Arico S, Báldi A et al.: **The IPBES Conceptual Framework – connecting nature and people.** *Curr Opin Environ Sustain* 2015, **14**:1-16.
Provides an in-depth overview over the IPBES conceptual framework.
10. Pascal U, Balvanera P, Díaz S, Pataki G, Roth E, Stenseke M, Watson RT, Dessane EB, Islar M, Kelemen E et al.: **Valuing nature's contributions to people: the IPBES approach.** *Curr Opin Environ Sustain* 2017, **26-27**:7-16.
Discusses how different values of nature's contributions to people can be recognised and included in decision-making.
11. Griggs D, Stafford-Smith M, Gaffney O, Rockström J, Öhman MC, Shyamsundar P, Steffen W, Glaser G, Kanie N, Noble I: **Policy: Sustainable development goals for people and planet.** *Nature* 2013, **495**:305-307.
12. Lausch A, Bannehr L, Beckmann M, Boehm C, Feilhauer H, Hacker JM, Heurich M, Jung A, Klenke R, Neumann C et al.: **Linking Earth Observation and taxonomic, structural and functional biodiversity: local to ecosystem perspectives.** *Ecol Indic* 2016, **70**:317-339.
Highlights how Earth observation approaches can be used to detect, predict and assess biodiversity.
13. Zellweger F, Morsdorf F, Purves RS, Braunisch V, Bollmann K: **Improved methods for measuring forest landscape structure: LiDAR complements field-based habitat assessment.** *Biodivers Conserv* 2013, **23**:289-307.
14. Homolová L, Schaepman ME, Lamarque P, Clevers JGPW, de Bello F, Thuiller W, Lavorel S: **Comparison of remote sensing and plant trait-based modelling to predict ecosystem services in subalpine grasslands.** *Ecosphere* 2014, **5**:art100-art129.
15. Braun D, Damm A, Paul-Limoges E, Revill A, Buchmann N, Petchey OL, Hein L, Schaepman ME: **From instantaneous to continuous: using imaging spectroscopy and in situ data to map two productivity-related ecosystem services.** *Ecol Indic* 2017, **82**:409-419.
16. Schaepman ME, Ustin SL, Plaza AJ, Painter TH, Verrelst J, Liang S: **Earth system science related imaging spectroscopy—an assessment.** *Remote Sens Environ* 2009, **113**:S123-S137.
17. Rechsteiner C, Zellweger F, Gerber A, Breiner FT, Bollmann K: **Remotely sensed forest habitat structures improve regional species conservation.** *Remote Sens Ecol Conserv* 2017, **3**:247-258.
18. Li C, Wulf H, Garonna I, Schaepman M: **Monitoring functional traits of alpine vegetation on the Qinghai-Tibet Plateau using multi-sensor remote sensing.** *IGARSS 2016 – 2016 IEEE International Geoscience and Remote Sensing Symposium*. 2016.
19. Jetz W, Cavender-Bares J, Pavlick R, Schimel D, Davis FW, Asner GP, Guralnick R, Kattge J, Latimer AM, Moorcroft P et al.: **Monitoring plant functional diversity from space.** *Nat Plants* 2016, **2**:1-5.
20. Pettorelli N, Wegmann M, Skidmore AK, Múcher S, Dawson TP, Fernandez M, Lucas R, Schaepman ME, Wang T, O'Connor B et al.: **Framing the concept of satellite remote sensing essential biodiversity variables: challenges and future directions.** *Remote Sens Ecol Conserv* 2016, **2**:122-131.
21. Reichstein M, Bahn M, Mahecha MD, Kattge J, Baldocchi DD: **Linking plant and ecosystem functional biogeography.** *Proc Natl Acad Sci* 2014, **111**:13697-13702.
22. Kattge J, Diaz S, Lavorel S, Prentice IC, Leadley PW, Bönisch G, Garnier E, Westoby M, Reich PB, Wright IJ et al.: **TRY – a global database of plant traits.** *Glob Change Biol* 2011, **17**:2905-2935.
23. Kattge J, Ogle K, Bönisch G, Diaz S, Lavorel S, Madin J, Nadrowski K, Nöller S, Sartor K, Wirth C: **A generic structure for plant trait databases [Internet].** *Methods Ecol Evol* 2010, **2**:202-213.
24. Fontana S, Petchey OL, Pomati F: **Individual-level trait diversity concepts and indices to comprehensively describe community change in multidimensional trait space.** *Funct Ecol* 2015, **30**:808-818.
25. Díaz S, Kattge J, Cornelissen JHC, Wright IJ, Lavorel S, Dray S, Reu B, Kleyer M, Wirth C, Prentice IC et al.: **The global spectrum of plant form and function.** *Nature* 2016, **529**:167-171.
26. Foden WB, Butchart SHM, Stuart SN, Vi J-C, Akçakaya HR, Angulo A, DeVantier LM, Gutsche A, Turak E, Cao L et al.: **Identifying the world's most climate change vulnerable species: a systematic trait-based assessment of all birds, amphibians and corals.** *PLoS ONE* 2013, **8**:e65427-e65513.
Presents a framework to assess the vulnerability of species to climate change based on their traits.
27. Isbell F, Gonzalez A, Loreau M, Cowles J, Díaz S, Hector A, Mace GM, Wardle DA, O'Connor MI, Duffy JE et al.: **Linking the influence and dependence of people on biodiversity across scales.** *Nature* 2017, **546**:65-72.
Illustrates how multi-scale knowledge is linking human dependence and human impact on biodiversity.
28. Altermatt F, Fronhofer EA, Garnier A, Giometto A, Hammes F, Klecka J, Legrand D, Mächler E, Massie TM, Pennekamp F et al.: **Big answers from small worlds: a user's guide for protist microcosms as a model system in ecology and evolution.** *Methods Ecol Evol* 2014, **6**:218-231.
29. Hughes TP, Barnes ML, Bellwood DR, Cinner JE, Cumming GS, Jackson JBC, Kleypas J, van de Leemput IA, Lough JM, Morrison TH et al.: **Coral reefs in the Anthropocene.** *Nature* 2017, **546**:82-90.
30. Cardinale BJ, Duffy JE, Gonzalez A, Hooper DU, Perrings C, Venail P, Narwani A, Mace GM, Tilman D, Wardle DA et al.: **Biodiversity loss and its impact on humanity.** *Nature* 2012, **486**:59-67.
31. Balvanera P, Pfisterer AB, Buchmann N, He J-S, Nakashizuka T, Raffaelli D, Schmid B: **Quantifying the evidence for biodiversity effects on ecosystem functioning and services.** *Ecol Lett* 2006, **9**:1146-1156.
32. Quijas S, Jackson LE, Maass M, Schmid B, Raffaelli D, Balvanera P: **Plant diversity and generation of ecosystem services at the landscape scale: expert knowledge assessment.** *J Appl Ecol* 2012, **49**:929-940.
33. Quijas S, Schmid B, Balvanera P: **Plant diversity enhances provision of ecosystem services: a new synthesis.** *Basic Appl Ecol* 2010, **11**:582-593.
34. Urban MC, Bocedi G, Hendry AP, Mihoub JB, Peer G, Singer A, Bridle JR, Crozier LG, De Meester L, Godsoe W et al.: **Improving the forecast for biodiversity under climate change.** *Science* 2016, **353**:aad8466.
Highlights the need for prioritised biological data collection to inform predictive modelling, and calls for a global effort on data collection to better understand and anticipate the impacts of global change on biodiversity.
35. Shin Y-J, Bundy A, Shannon LJ, Simier M, Coll M, Fulton EA, Link JS, Jouffre D, Ojaveer H, Mackinson S et al.: **Can simple be useful and reliable? Using ecological indicators to represent and compare the states of marine ecosystems.** *ICES J Mar Sci* 2010, **67**:717-731.
36. Shin Y-J, Shannon LJ: **Using indicators for evaluating, comparing, and communicating the ecological status of exploited marine ecosystems. 1. The IndiSeas project.** *ICES J Mar Sci* 2009, **67**:686-691.
37. Geijendorffer IR, Regan EC, Pereira HM, Brotons L, Brummitt N, Gavish Y, Haase P, Martin CS, Mihoub J-B, Secades C et al.: **Bridging the gap between biodiversity data and policy reporting needs: an Essential Biodiversity Variables perspective.** *J Appl Ecol* 2015, **53**:1341-1350.
38. Jackson MC, Weyl OLF, Altermatt F, Durance I, Friberg N, Dumbrell AJ, Piggott JJ, Tiegs SD, Tockner K, Krug CB et al.: **Recommendations for the next generation of global**

- freshwater biological monitoring tools [Internet].** *Adv Ecol Res* 2016, **55**:615-636.
39. Oliver TH, Heard MS, Isaac NJB, Roy DB, Procter D, Eigenbrod F, Freckleton R, Hector A, Orme CDL, Petchey OL *et al.*: **Biodiversity and resilience of ecosystem functions.** *Trends Ecol Evol* 2015, **30**:673-684.
40. Coll M, Shannon LJ, Kleisner KM, Juan-Jorda MJ, Bundy A, Akoglu AG, Banaru D, Boldt JL, Borges MF, Cook A *et al.*: **Ecological Indicators to Capture the Effects of Fishing on Biodiversity and Conservation Status of Marine Ecosystems.** 2016 <http://dx.doi.org/10.1016/j.ecolind.2015.08.048>.
41. Shannon L, Coll M: **Assessing the changing biodiversity of exploited marine ecosystems.** *Curr Opin Environ Sustain* 2018, **29**:89-97.
42. Schneider FD, Morsdorf F, Schmid B, Petchey OL, Hueni A, Schimel DS, Schaepman ME: **Mapping functional diversity from remotely sensed morphological and physiological forest traits.** *Nat Commun* 2017 <http://dx.doi.org/10.1038/s41467-017-01530-3>.
- Presents a new methodology to map patterns of functional (tree) diversity using remote sensing methods.
43. McMahon SM, Harrison SP, Armbruster WS, Bartlein PJ, Beale CM, Edwards ME, Kattge J, Midgley G, Morin X, Prentice IC: **Improving assessment and modelling of climate change impacts on global terrestrial biodiversity.** *Trends Ecol Evol* 2011, **26**:249-259.
44. Petchey OL, Pontarp M, Massie TM, Kéfi S, Ozgul A, Weilenmann M, Palamara GM, Altermatt F, Matthews B, Levine JM *et al.*: **The ecological forecast horizon, and examples of its uses and determinants.** *Ecol Lett* 2015, **18**:597-611.
45. Mokany K, Ferrier S, Connolly SR, Dunstan PK, Fulton EA, Harfoot MB, Harwood TD, Richardson AJ, Roxburgh SH, Scharlemann JRPW *et al.*: **Integrating modelling of biodiversity composition and ecosystem function.** *Oikos* 2015, **125**:10-19.
46. Kok MTJ, Kok K, Peterson GD, Hill R, Agard J, Carpenter SR: **Biodiversity and ecosystem services require IPBES to take novel approach to scenarios [Internet].** *Sustain Sci* 2016, **12**:177-181.
- Proposes a bottom-up, cross-scale scenario strategy to improve the policy relevance of assessment processes.
47. Harfoot M, Tittensor DP, Newbold T, McInerney G, Smith MJ, Scharlemann JRPW: **Integrated assessment models for ecologists: the present and the future [Internet].** *Global Ecol Biogeogr* 2013, **23**:124-143.
48. Fu C, Travers-Trolet M, Velez L, Grüss A, Bundy A, Shannon LJ, Fulton EA, Akoglu E, Houle JE, Coll M *et al.*: **Risky business: The combined effects of fishing and changes in primary productivity on fish communities.** *Ecol Model* 2018, **368**:265-276.
49. Jones MC, Cheung WWL: **Multi-model ensemble projections of climate change effects on global marine biodiversity [Internet].** *ICES J Mar Sci* 2014, **72**:741-752.
50. Smith MD, Fulton EA, Day RW, Shannon LJ, Shin Y-J: **Ecosystem modelling in the southern Benguela: comparisons of Atlantis, Ecopath with Ecosim, and OSMOSE under fishing scenarios.** *Afr J Mar Sci* 2015, **37**:65-78.
51. Frölicher TL, Rodgers KB, Stock CA, Cheung WWL: **Sources of uncertainties in 21st century projections of potential ocean ecosystem stressors.** *Global Biogeochem Cycles* 2016 [http://dx.doi.org/10.1002/\(ISSN\)1944-9224](http://dx.doi.org/10.1002/(ISSN)1944-9224).
52. Geijzendorffer IR, van Teeffelen AJ, Allison H, Braun D, Horgan K, Iturrate-Garcia M, Santos MJ, Pellissier L, Prieur-Richard A-H, Quatrini S *et al.*: **How can global conventions for biodiversity and ecosystem services guide local conservation actions?** *Curr Opin Environ Sustain* 2018, **29**:145-150.
53. Teh LSL, Cheung WWL, Sumaila UR: **Scenarios for investigating the future of Canada's oceans and marine fisheries under environmental and socioeconomic change.** *Reg Environ Change* 2016, **17**:619-633.
54. Rosa IMD, Miguel Pereira H, Ferrier S, Alkemade R, Acosta LA, Akçakaya HR, Fazel AM, Fujimori S, Harfoot M, Harhash KA *et al.*: **Multiscale scenarios for nature futures.** *Nat Ecol Evol* 2017, **1**:1416-1419.
55. Metzger JP, Esler K, Arias M, Tambosi L, Crouzeilles R, Acosta AL, Brancalion PH, D'Albertas F, Duarte GT *et al.*: **Best practice for the use of scenarios for restoration planning.** *Curr Opin Environ Sustain* 2017, **29**:14-25.
56. Teh LS, Cheung WW, Christensen V, Sumaila UR: **Can we meet the Target? Status and future trends for fisheries sustainability.** *Curr Opin Environ Sustain* 2018, **29**:118-130.
57. Bundy A, Shannon LJ, Rochet MJ, Neira S, Shin Y-J, Hill L, Aydin K: **The good(ish), the bad, and the ugly: a tripartite classification of ecosystem trends.** *ICES J Mar Sci* 2010, **67**:745-768.
58. Lockerbie EM, Shannon LJ, Jarre A: **The use of ecological, fishing and environmental indicators in support of decision making in southern Benguela fisheries.** *Ecol Indic* 2016, **69**:473-487.
- Illustrates how a suite of ecological, fishing and environmental indicators can be used to guide decision-making in fisheries management.
59. Shannon LJ, Osman W, Jarre A: **Communicating changes in state of the southern Benguela ecosystem using trophic, model-derived indicators.** *Mar Ecol Prog Ser* 2014, **512**:217-237.
60. Tittensor DP, Walpole M, Hill SLL, Boyce DG, Britten GL, Burgess ND, Butchart SHM, Leadley PW, Regan EC, Alkemade R *et al.*: **A mid-term analysis of progress toward international biodiversity targets.** *Science* 2014, **346**:241-244.
61. Marques A, Pereira HM, Krug C, Leadley PW, Visconti P, Januchowski-Hartley SR, Krug RM, Alkemade R, Bellard C, Cheung WWL *et al.*: **A framework to identify enabling and urgent actions for the 2020 Aichi Targets.** *Basic Appl Ecol* 2014, **15**:633-638.
62. Mace GM, Cramer W, Diaz S, Faith DP, Larigauderie A, Le Prestre P, Palmer M, Perrings C, Scholes RJ, Walpole M *et al.*: **Biodiversity targets after 2010.** *Curr Opin Environ Sustain* 2010, **2**:3-8.
63. Scholes RJ, Walters M, Turak E, Saarenmaa H, Heip CH, Tuama EO, Faith DP, Mooney HA, Ferrier S, Jongman RH *et al.*: **Building a global observing system for biodiversity.** *Curr Opin Environ Sustain* 2012, **4**:1-8.
64. Robinson JPW, Williams ID, Edwards AM, McPherson J, Yeager L, Vigliola L, Brainard RE, Baum JK: **Fishing degrades size structure of coral reef fish communities.** *Glob Change Biol* 2016, **23**:1009-1022.
65. Andradi-Brown DA, Vermeij MJA, Slattery M, Lesser M, Bejarano I, Appeldoorn R, Goodbody-Gringley G, Chequer AD, Pitt JM, Eddy C *et al.*: **Large-scale invasion of western Atlantic mesophotic reefs by lionfish potentially undermines culling-based management.** *Biol Invasions* 2016, **19**:939-954.
66. Duprey NN, Yasuhara M, Baker DM: **Reefs of tomorrow: eutrophication reduces coral biodiversity in an urbanized seascape.** *Glob Change Biol* 2016, **22**:3550-3565.
67. Obura D: **Refilling the coral reef glass.** *Science* 2017, **357**:1215.
68. Donohue I, Hillebrand H, Montoya JM, Petchey OL, Pimm SL, Fowler MS, Healy K, Jackson AL, Lurgi M, McClean D *et al.*: **Navigating the complexity of ecological stability.** *Ecol Lett* 2017, **19**:1147-1185.
69. Oliver TH, Heard MS, Isaac NJB, Roy DB, Procter D, Eigenbrod F, Freckleton R, Hector A, Orme CDL, Petchey OL *et al.*: **A synthesis is emerging between biodiversity – ecosystem function and ecological resilience research: reply to Mori.** *Trends Ecol Evol* 2016, **31**:89-92.
70. Reid WV, Chen D, Goldfarb L, Hackmann H, Lee YT, Mokhele K, Ostrom E, Raivio K, Rockstrom J, Schellnhuber HJ *et al.*: **Earth system science for global sustainability: grand challenges.** *Science* 2010, **330**:916-917.